Manhole Inspection Summary N			Man	hole # S01E	E1005N	ИΗ
Printed On: 6/24	/2010			P	age 1	of 4
Inspection	☐ Is Incomplete Rating:	: 3) Fair				
Record Plat: 01	EE1 Node: 005 Status	Found		Insp Date: 1/2	22/08 2:33	B PM
Incomplete Cor	nments			Crew: TJ, ET Inspector: Johnso Firm: URS	n	
Location	Address: 3904 HILLSDALE I	RD	Cro	oss Street: RIDGEV ALLEY	VOOD-OA	KFORD
Manhole	Type: Inline Location:	Roadway	Gro	ound Conditions: Dr	у	
	Prev. Rehab Weather:	Dry	Sub	ject To Ponding: N o	one	
Comments						
Cover	Shape: Circular	Diameter: 26 (ir	n.) Length:	(in.) Dist A/B G	Frade: 0	(in.)
	Type: Sanitary C	ondition: Sound	C	Cover Material: Cas	t Iron	
Properties:	☐ Bolted ☐ Vented ☐ V	Vater Tight	Water Tight	t Insert		
Frame	Offset: 0 (in.) Condit	ion: 🗸 Sound	Cracked	Leaks		
Chimney / Fra	me Adjustment	Material: Brick		☐ Parged	Height: 12	2 (in.)
Condition:	Sound Cracked R	oot Intrusion	Loose Br	ick	ed	
Infiltration:	☐ None ☐ Joint ✓ Crac	ks 🗸 Mortar	Roots	☐ Wall		
Corbel	Material: Brick	☐ Parged	Type: Co	oncentric/Eccentri	С	
Condition:	✓ Sound ☐ Cracked ☐ Root Intrusion ☐ Loose Brick ☐ Deteriorated					
Infiltration:	✓ None ☐ Joint ☐ Cracks ☐ Mortar ☐ Roots ☐ Wall					
Barrel	Material: Brick	☐ Parged				
Shape:	Circular Diameter: 4	8 (in.) Length	: (in.)			
Condition:	✓ Sound ☐ Cracked ☐ R	oot Intrusion	Loose Br	ick 🗌 Deteriorate	d	
Infiltration:	✓ None ☐ Joint ☐ Crae	cks	Roots	☐ Wall		
Bench	Exists Material: Brick		Parged			
Condition:	✓ Sound ☐ Cracked ☐ R	oot Intrusion	Deteriora	ted Leaks	Debris	
Channel	Material: Brick	☐ Parged				
Channel E	xposure: Fully Open	Junc Dist: 0	nearest .5 ft	t. Azimuth:		
Condition:	☐ Sound ☐ Cracked ☐ R	oot Intrusion	Deteriora	ted 🗌 Leaks 🔽	Debris	
Steps	Count: 4 Missing: 0 (Corroded				
Surcharge	✓ Evidence Of Surcharge	Depth: 1 (ft.))	Surcharge Present		

Manhole Inspection Summary Printed On: 6/24/2010	Manhole # S01EE1005MI Page 2 o
Location View	Top View
	EVIDENCE OF SURCHARGE ON BENCH, ON STEP
GRADE ADJUSTMENT	

DETERIORATED/INFILTRATION

MORTAR AND CRACKS

Manhole Inspection Summary	Manhole # S01EE1005MH		
Printed On: 6/24/2010	Page 3 of 4		
8 in. Circular Gravity Sewer Pipe Out @ 12 O'Clock	12 O'Clock Outflow		
Pipe Height: 8.4 (in.) Rod and Bar (Angled) Pipe Material: Clay Pipe Lined	Drop: None		
Invert Depth: 10.68 (ft.) Flow Characteristics: Fast			
Deposits: ✓ None ☐ Mud ☐ Sludge ☐ Debris ☐ Grease	Occupate To Marchala		
Silt Depth: (in.) Deposits Extent: Infiltration: None Pipe Seal Cond: Sound	Connects To: Manhole Possible Illicit Connection		
8 in. Circular Gravity Sewer Pipe In @ 3 O'Clock	3 O'Clock Inflow		
CHANNEL DEBRIS AND PIPE DEPOSITS Pipe Height: 8.4 (in.) Rod and Bar (Angled) Pipe Material: Clay Pipe Lined	Drop: None		
Invert Depth: 10.16 (ft.) Flow Characteristics: None			
-			
Deposits: ☐ None ✓ Mud ☐ Sludge ✓ Debris ☐ Grease			
Deposits: ☐ None ✓ Mud ☐ Sludge ✓ Debris ☐ Grease Silt Depth: 4 (in.) Deposits Extent: Heavy	Connects To: Stub connection / abandoned		

Manhole Inspection Summary	Manhole # S01EE1005MH
Printed On: 6/24/2010	Page 4 of 4
8 in. Circular Gravity Sewer Pipe In @ 6 O'Clock	6 O'Clock Inflow
Pipe Height: 8.4 (in.) Rod and Bar (Angled	лор. нопе
Pipe Material: Clay Pipe Lin	
Invert Depth: 10.32 (ft.) Flow Characteristics	
Deposits: None Mud Sludge D Silt Depth: (in.) Deposits Extent:	ebris Grease Connects To: Manhole
Infiltration: None Pipe Seal Cond: \$	
8 in. Circular Gravity Sewer Pipe In @ 9 O'Clock	9 O'Clock Inflow Drop In @ 9 O'Clock HEAVY PIPE DEPOSITS
Pipe Height: 8.4 (in.) Rod and Bar (Angled) Drop: Outside Rod and Bar
Pipe Material: Clay	· ·
Invert Depth: 8.74 (ft.) Flow Characteristics	
Deposits: ☐ None ✓ Mud ☐ Sludge ☐ D	ebris Grease Drop Condition: Partly Clogged
Silt Depth: 8 (in.) Deposits Extent: I	
Infiltration: None Pipe Seal Cond: \$	Sound Possible Illicit Connection